



## Product Book



120x300cm

“  
Bookmatch collection



## ELEGANCE MEETS **BALANCE**

Your home deserves more than ordinary patterns - it deserves the artistic grandeur of bookmatch tiles. Designed for those who appreciate symmetry and elegance, our bookmatch collection transforms stone into a canvas of beauty. From majestic living rooms to luxurious bathrooms and grand feature walls, these tiles create a seamless mirror effect that adds drama, depth, and timeless sophistication. Build a space that tells a story of harmony and artistry, where every surface becomes a masterpiece.

Bookmatch tiles are more than design - they're pure artistry. Crafted to mirror nature's finest patterns, they create stunning symmetry that transforms spaces into timeless masterpieces. Every glance reveals elegance, balance, and grandeur.

Elevate your interiors with the bold beauty of bookmatch tiles. Their seamless reflection creates a sense of balance and continuity, blending nature's artistry with modern design.



**Bookmatch** collection





Designed to transform every corner – from grand living rooms to luxurious bathrooms and elegant feature walls, bookmatch tiles embody both dramatic artistry and enduring strength.

Crafted to enrich every space – from striking entrances to serene lounges and stylish kitchens, bookmatch tiles bring nature's artistry to life with flawless symmetry.

“  
**Bookmatch** collection





CHEMICAL RESISTANT

DIMENSIONAL STABILITY

HYGIENIC SURFACE


FROST RESISTANT

UV & HEAT RESISTANT

SCRATCH & ABRASION RESISTANT

STAIN RESISTANT

WATER RESISTANT




“

**Bookmatch** collection



*Designing spaces  
with artistic  
reflection in tiles*

Home is where art meets harmony. Our bookmatch tiles are designed to enrich every space with grandeur, symmetry, and timeless elegance. Whether it's a majestic living room, a luxurious bathroom, or a striking feature wall, each tile transforms your home into a masterpiece of refined beauty.




GLOSSY BOOKMATCH



BKM 8653    BKM 8896    BKM ARDESIA GREY    BKM ATLANTIS GOLD    BKM CARRARA ARINSAL    BKM FIORA GREY    BKM NI-1004 WHITE    BKM NIRO WHITE    BKM PASHA VERDE    BKM ROMAN SATVARIO


HIGHGLOSS BOOKMATCH



BKM AMETHYST BROWN    BKM ARCOBALENO BLUE CRYSTAL    BKM ARCOBALENO RED CRYSTAL    BKM AVOCATUS NERO    BKM CIPOLLINO COFFEE CLOUD    BKM CIPOLLINO DESERT FLAME    BKM MISTRAL    BKM NI-220030    BKM OROBICO MYSTIC BLUE    BKM OROBICO MYSTIC GREEN    BKM SMERALDO OLIVE    BKM SMERALDO STARTA

START EXPLORING  EVERY SURFACE TELLS A STORY

“  
Bookmatch collection



Tap to  
**BACK INDEX**



Tap to  
**360°**



## BKM 8653


---

Size: **120x300cm**

Surface: **Bookmatch Glossy**

Random: **A & B face**

Thickness: **9mm**



“  
**Bookmatch collection**


Available Size

---

120x240 cm

120x280 cm





## BKM 8896

---

Size: 120x300cm  
Surface: **Bookmatch Glossy**  
Random: A & B face  
Thickness: 9mm





“  
*Bookmatch collection*

Available Size

---

120x240 cm

120x280 cm





**BKM  
ARDESIA GREY**

---

Size: 120x300cm  
Surface: **Bookmatch Glossy**  
Random: A & B face  
Thickness: 9mm



“  
*Bookmatch collection*

Available Size

---

120x240 cm  
120x280 cm





**BKM**  
**ATLANTIS GOLD**

---

Size: **120x300cm**  
Surface: **Bookmatch Glossy**  
Random: **A & B face**  
Thickness: **9mm**



“  
*Bookmatch collection*

Available Size

---

120x240 cm  
120x280 cm





**BKM**  
**CARRARA ARINSAL**

---

Size: 120x300cm  
Surface: **Bookmatch Glossy**  
Random: A & B face  
Thickness: 9mm



“  
*Bookmatch collection*

Available Size

---

- 120x240 cm
- 120x280 cm





Tap to  
**BACK INDEX**



Tap to

**360°**



## **BKM FIORA GREY**

---

Size: **120x300cm**

Surface: **Bookmatch Glossy**

Random: **A & B face**

Thickness: **9mm**



“  
**Bookmatch collection**

Available Size

---

120x240 cm

120x280 cm





**BKM**  
**NI-1004 WHITE**

---

Size: 120x300cm  
Surface: **Bookmatch Glossy**  
Random: **A & B face**  
Thickness: 9mm



“  
*Bookmatch collection*

Available Size

---

120x240 cm	120x280 cm
------------	------------





**BKM  
NIRO WHITE**

---

Size: 120x300cm  
Surface: **Bookmatch Glossy**  
Random: A & B face  
Thickness: 9mm



**N**file


“  
*Bookmatch collection*

Available Size

---

- 120x240 cm
- 120x280 cm





**BKM  
PASHA VERDE**

---

Size: 120x300cm  
Surface: **Bookmatch Glossy**  
Random: A & B face  
Thickness: 9mm



“  
*Bookmatch collection*

Available Size

---

120x240 cm

120x280 cm





Tap to  
**BACK INDEX**



Tap to

**360°**

## **BKM ROMAN SATVARIO**

---

Size: **120x300cm**

Surface: **Bookmatch Glossy**

Random: **A & B face**

Thickness: **9mm**



**N**file

“  
**Bookmatch collection**

Available Size

---

120x240 cm

120x280 cm





## BKM AMETHYST BROWN

---

Size: 120x300cm  
Surface: Bookmatch Highgloss  
Random: A & B face  
Thickness: 9mm




“  
Bookmatch collection

---

Available Size

120x240 cm	120x280 cm
------------	------------



## BKM ARCOBALENO BLUE CRYSTAL

---

Size: 120x300cm  
Surface: Bookmatch Highgloss  
Random: A & B face  
Thickness: 9mm



“  
Bookmatch collection

Available Size


---

120x240 cm

120x280 cm



*Bon  
Appetit*



## BKM ARCOBALENO RED CRYSTAL

---

Size: 120x300cm  
Surface: **Bookmatch Highgloss**  
Random: A & B face  
Thickness: 9mm



“  
*Bookmatch collection*”

Available Size

---

120x240 cm


120x280 cm



**BKM  
AVOCATUS NERO**

---

Size: **120x300cm**  
Surface: **Bookmatch Highgloss**  
Random: **A & B face**  
Thickness: **9mm**




“  
*Bookmatch collection*”

Available Size

---

120x240 cm  
120x280 cm



**BKM CIPOLLINO  
COFFEE CLOUD**

---

Size: 120x300cm  
Surface: **Bookmatch Highgloss**  
Random: A & B face  
Thickness: 9mm



“  
*Bookmatch collection*

Available Size

---

120x240 cm	120x280 cm
------------	------------





**BKM CIPOLLINO  
DESERT FLAME**

---

Size: 120x300cm  
Surface: **Bookmatch Highgloss**  
Random: A & B face  
Thickness: 9mm




“  
*Bookmatch collection*

Available Size

---


120x240 cm	120x280 cm
------------	------------



**BKM  
MISTRAL**

---

Size: **120x300cm**  
Surface: **Bookmatch Highgloss**  
Random: **A & B face**  
Thickness: **9mm**



“  
**Bookmatch collection**

---

Available Size

120x240 cm	120x280 cm
------------	------------





**BKM**  
**NI-220030**

---

Size: **120x300cm**  
Surface: **Bookmatch Highgloss**  
Random: **A & B face**  
Thickness: **9mm**



“  
**Bookmatch collection**

---

Available Size

120x240 cm	120x280 cm
------------	------------





**BKM OROBICO  
MYSTIC BLUE**

---

Size: **120x300cm**  
Surface: **Bookmatch Highgloss**  
Random: **A & B face**  
Thickness: **9mm**



“  
**Bookmatch collection**

Available Size

---

120x240 cm	120x280 cm
------------	------------





## BKM OROBICO MYSTIC GREEN

---

Size: 120x300cm  
Surface: **Bookmatch Highgloss**  
Random: A & B face  
Thickness: 9mm



“  
**Bookmatch** collection

---

Available Size

120x240 cm

120x280 cm



**BKM  
SMERALDO OLIVE**

---

Size: **120x300cm**  
Surface: **Bookmatch Highgloss**  
Random: **A & B face**  
Thickness: **9mm**



“  
**Bookmatch collection**

Available Size

---

120x240 cm	120x280 cm
------------	------------



## BKM SMERALDO STARTA

---

Size: 120x300cm  
Surface: **Bookmatch Highgloss**  
Random: A & B face  
Thickness: 9mm



“  
**Bookmatch** collection

Available Size

---

120x240 cm

120x280 cm



## Technical specifications

CHARACTERISTICS	TEST METHOD	MEAN VALUE	STD. AS PER ISO13006:2012/EN14411 Gr.BIa	STD. AS PER ISI5622:2017 Gr.BIa
<b>Regulatory Properties</b>				
Deviation in Length and Width	ISO 10545-2 & IS 13630-1	± 0.10 %	± 0.50 %	± 0.10 %
Deviation in Thickness	ISO 10545-2 & IS 13630-1	± 4.00 %	± 5.00 %	± 5.0 %
Straightness of Sides	ISO 10545-2 & IS 13630-1	± 0.10 %	± 0.50 %	± 0.10 %
Rectangularity	ISO 10545-2 & IS 13630-1	± 0.10 %	± 0.60 %	± 0.10%
Surface Flatness Central Curvature	ISO 10545-2 & IS 13630-1	± 0.10 %	± 0.50 %	± 0.50 %
Surface Flatness Edge Curvature	ISO 10545-2 & IS 13630-1	± 0.10 %	± 0.50 %	± 0.50 %
Surface Flatness Warpage	ISO 10545-2 & IS 13630-1	± 0.10 %	± 0.50 %	± 0.50 %
Surface Quality	ISO 10545-2 & IS 13630-1	> 95% defects free	> 95% defects free	> 95% defects free
Small Color Difference	ISO 10545-16	No Change	Unaltered	N.A.
Glossiness (With Nano Polish)	Gloss Meter 60°	> 90° **	As per Mfg.	As per Mfg.
Glossiness (Without Polish)	Gloss Meter 60°	7° < Gloss < 14***	As per Mfg.	As per Mfg.
Glossiness (Satin Finished)	Gloss Meter 60°	15° < Gloss < 25****	As per Mfg.	As per Mfg.
<b>Structural Properties</b>				
Water Absorption	ISO 10545-2 & IS 13630-3	≤ 0.05 %	≤ 0.50 %	≤ 0.80 %
Bulk Density	DIN51082 & IS 13630-3	> 2.28 gm/cc	> 2.00 g/cc	Min. 2.20 g/cc
<b>Massive Mechanical Properties</b>				
Modulus Of Rupture	ISO 10545-4 & IS 13630-6	Min. 37.0 N/mm <sup>2</sup>	Min. 35.0 N/mm <sup>2</sup>	Min. 35.0 N/mm <sup>2</sup>
Breaking Strength Thickness <7.5	ISO 10545-4 & IS 13630-6	Min. 1000.0 N	Min. 700.0 N	Min. 700.0 N
Breaking Strength Thickness ≥7.5	ISO 10545-4 & IS 13630-6	Min. 1600.0 N	Min. 1300.0 N	Min. 1100.0 N
<b>Surface Mechanical Properties</b>				
Moh's Hardness	EN 101 & IS 13630-13	Min. 4****	Min. 4	Min. 5
Surface Abrasion Resistance-glossy #	ISO 10545-7 & IS 13630-11	Min. Class 2	As per Mfg.	Min. Class II
Surface Abrasion Resistance-matt #	ISO 10545-7 & IS 13630-11	Min. Class 3	As per Mfg.	Min. Class II
<b>Thermal Hydrometric Properties</b>				
Moisture Expansion	ISO 10545-10 & IS 13630-3	NIL	Max. 0.06	Max. 0.02
Thermal Expansion (COE) at 100°C	ISO 10545-8 & IS 13630-4	Max. 6.0 x 10 <sup>-6</sup>	As per Mfg.	Max. 7.0 x 10 <sup>-6</sup>
Thermal Shock Resistance	ISO 10545-9 & IS 13630-5	Min. 10 Cycle	Min. 10 Cycle	Min. 10 Cycle
Crazing Resistance at 7.5 Bar	ISO10545-11 & IS 13630-9	Min. 6 Cycle	As per Mfg.	Min. 4 Cycle
Impact Resistance (COR)	ISO 10545-5 & IS 13630-14	Min. 0.55	As per Mfg.	Min. 0.55
Frost Resistance	ISO10545-12 & IS 13630-10	Frost Proof	As per Mfg.	As per Mfg.
<b>Chemical Properties</b>				
**Resistance to Staining	ISO 10545-14 & IS 13630-8	Min. Class 4 / Min. Class I	Min. Class 3	Min. Class I
**Resistance to Household Chemicals & Swimming Pool Salts	ISO 10545-13 & IS 13630-8	Min. Class GA / Min. Class AA	Min. Class GB	Min. Class AA
**Resistance to Low/High Concentrate Acid and Alkalis	ISO 10545-13 & IS 13630-8	Min. Class GLB**** / Min. Class A*****	As per Mfg.	As per Mfg.
<b>Safety Properties</b>				
Skid Resistance(DCOF-DRY)	ISO 10545-17	> 0.40	As per Mfg.	As per Mfg.
Slip Resistance(DCOF)( R value )##	ISO 10545-17	As per surface	As per Mfg.	As per Mfg.
Determination Of Lead & Cadmium Release For Glazed Tiles	ISO 10545-15	Dose not yield Pb & Cd	As per Mfg.	N.A.
Fire Resistance	N.A.	Fireproof	As per Mfg.	As per Mfg.

## Pallet & container packing

Size	Thickness	sq. mtr / Slab	Weight / Slab	Size of Container
1200x2400mm	6mm	2.88	40.0 kg	40 ft
1200x2400mm	9mm	2.88	62.0 kg	40 ft
1200x2800mm	6mm	3.36	47.0 kg	40 ft
1200x3000mm	6mm	3.60	51.0 kg	40 ft
1200x3000mm	9mm	3.60	76.0 kg	40 ft





**REGISTERED OFFICE:**

Office No. CH-06, Survey No. 42, Plot No. 1 & 2,  
Eden Ceramic City, At. Lalpar, Morbi,  
Gujarat - 363642, INDIA

**FACTORY:**

Solizo Vitrified Pvt. Ltd.  
Matel Road, Morbi,  
Gujarat, INDIA

**Website :** [www.ntile.in](http://www.ntile.in)

**Mail to :** [info@ntile.in](mailto:info@ntile.in)

**Toll free :** +91 99090 51707

**Domestic inquiry :** +91 98252 12707

**Export inquiry :** +91 93777 51707